



裕銘

UNIONPOWER



01

UNIONPOWER

Milestones
Our Network

02

OUR SERVICES

Ocean Freight
Air Freight
Land Transport
Logistics Warehouse
China Capability
Customs Clearance
Documentation

03

POWERTRACK

04


TRANSPORT EQUIPMENT

Ocean
Air

05

CONTACT US

UNIONPOWER Milestones



Our Network



 UNIONPOWER Offices

 UNIONPOWER Network Partners

UNION OUR STRENGTH TO CREATE INCREDIBLE POWER

*whether we play a large or small role, by working together,
we achieve our goals*

Ocean Freight

UNIONPOWER provides comprehensive FCL and LCL services, to move full containers to virtually any port in the world. Dependable inbound and outbound shipments on a Buyer Consolidation / Groupage basis are one of the foundations upon which UNIONPOWER has won its outstanding reputation. UNIONPOWER offers a variety of value-added services to fulfil its customer transportation-related needs.

Air Freight

UNIONPOWER is able to provide differing services depending on the type of goods and urgency of customers' needs. Cargo can be consolidated or consigned on direct flights. UNIONPOWER's worldwide linked partner network keeps customer informed of cargo movement at all times, providing timely notice of arrival and early lodgment of customs entries for earliest possible clearance and delivery of goods. Door to door capabilities are extended to clients via UNIONPOWER's offices and its worldwide partner network.



Land Transport

UNIONPOWER realizes the significance of comprehensive transport logistics and puts into practice flexible and efficient concepts of land transportation to meet the necessity of customers.

Through the long lasting relationship with reputable trucking company, UNIONPOWER offers all kinds of trucking service with competitive rate, regardless it's a cross-border or simple overland movement to and from anywhere in the world. First class professional service is guaranteed.



Logistics Warehouse

The approx. size of our warehouse is 70,000.00sft where two areas are set, one is for pallet rack system & the other is free area for quick-in and quick-out cargo. The racking is set for 854 locations which is capable to store approx. 2450cbm. The free area is set for 64 locations which is for around 280cbm. Class-A warehouse with CCTV, alarm system connected to 24/7 control room, sprinkler, anti-smoke detector as well as inner anti-fire gate...etc. Ten (10) loading & unloading performs equipped with electric leveler for container truck & lorry. Wi-Fi access point is installed to cover entire of the warehouse. Own staff to perform barcode scanning and IT process...etc.

China Capability

UNIONPOWER has obtained the business (WFOE) license from Chinese government as well as NVOCC license from Ministry of Transport, to handle the international traffic between China and overseas. With branch offices in Shanghai, Ningbo, Xiamen, Shenzhen, Dalian, Qingdao and Tianjin together with its international network partners, whether it's a direct, transshipment by sea or overland transportation, UNIONPOWER is able to help customers to send cargoes to and from China in the fastest, safest and most cost-effective manner possible. Followings are some of our service patterns:

- GOH shipment
- Product searching
- Buyer's consolidation
- Full container shipment
- Supervision of container loading
- Monitoring and reporting development of goods
- National transportation from town to town, province to province
- Shipment pre-alert with full information of pre-carriage and connecting vessel



Customs Clearance

For both ocean and air shipments imported into any destination, UNIONPOWER and its international network partners offer years of experience combined with the most efficient procedures. Customs clearance can be proceeded inside UNIONPOWER or its international network partners office. Cargo can be stored in bonded warehouse and customs clear as per customer's specific time frame.



A close-up photograph of a person's hand holding a silver pen, pointing at a document. The document features a line graph with multiple data series and a table of numbers. The background is slightly blurred, showing more of the document and a desk.

Documentation

By solid knowledge from the long history in handling the Europe, Central & South America trades, UNIONPOWER is able to help customer to proceed endorsement of Certificate of Origin. Especially for shipment to some specific countries, customs regulations may change from time to time. On behalf of customers, UNIONPOWER is able to arrange the documentation needed and provides an efficient channel to proceed.

A wide-angle photograph of a large container yard. In the foreground, there are numerous stacks of colorful shipping containers (blue, red, yellow, green). In the background, several large gantry cranes are visible, used for loading and unloading containers from ships. The sky is clear and blue.

CUSTOMER SATISFACTION AND QUALITY DISTRIBUTION
ARE OUR TARGETS


POWERTRACK

With a series of projects, IT has helped tailor the range of our services to the needs of the marketplace. To improve the flow of information to and from customers and to help optimize internal monitoring, UNIONPOWER had made investment in developing a sophisticated "POWERTRACK" system which consists of several difference modules, i.e. 'Booking Monitoring', 'PO Management' and 'Shipment Tracing'...etc. This system is available for customers since Year 2005. Update version is constantly developed with enhancement, the systems are designed to help customers instantly access the information they need.

User friendly and accurate, the systems can update customers on the status of their order and cargo movement at any point of time independently, thus to make sure that customers stay at the forefront of their current markets.


Continuous improvement of the quality of services and the ability to give customers the information they need represent the major goals of UNIONPOWER and it also provides the basis for entering the era of paperless handling.

Personalized service
Order tracking
Web based application
Enhanced operations transparency
Remote document printing
Track and trace capabilities
Realtime data conductivity
Advanice system development
Centralized warehouse visibility
Know-how of today technology




20’ STANDARD

Internal Dimensions			Door		Cubic Capacity	Maximum Payload
L	W	H	W	H		
5,900 mm	2,350 mm	2,390 mm	2,340 mm	2,280 mm	33.20 Cbm	28,260 Kgs
19'4"	7'8"	7'10"	7'8"	7'6"	1,170 Cft	62,310 Lbs



40’ STANDARD

Internal Dimensions			Door		Cubic Capacity	Maximum Payload
L	W	H	W	H		
12,030 mm	2,350 mm	2,390 mm	2,340 mm	2,280 mm	67.7 Cbm	28,860 Kgs
39'6"	7'9"	7'10"	7'8"	7'6"	2,391 Cft	63,620 Lbs




20’ COLLAPSIBLE FLAT RACK

Internal Dimensions			Btw Headers	Btw Corners		Maximum Payload
L	W	H	L	L	W	
5,960 mm	2,400 mm	2,290 mm	5,850 mm	5,420 mm	2,060 mm	37,000 Kgs
19'7"	7'10"	7'6"	19'2"	17'9"	6'9"	81,580 Lbs




40’ COLLAPSIBLE FLAT RACK

Internal Dimensions			Btw Headers	Btw Corners		Maximum Payload
L	W	H	L	L	W	
11,650 mm	2,370 mm	1,960 mm	12,060 mm	11,660 mm	2,220 mm	44,650 Kgs
38'3"	7'9"	6'5"	39'7"	38'3"	7'3"	98,436 Lbs




20’ OPEN TOP

Internal Dimensions			Roof		Cubic Capacity	Maximum Payload
L	W	H	L	W		
5,900 mm	2,350 mm	2,350 mm	5,380 mm	2,250 mm	32.23 Cbm	28,180 Kgs
19'4"	7'8"	7'8"	17'7"	7'4"	1,138 Cft	62,126 Lbs



40’ OPEN TOP


Internal Dimensions			Roof		Cubic Capacity	Maximum Payload
L	W	H	L	W		
12,030 mm	2,350 mm	2,350 mm	11,510 mm	2,230 mm	66.5 Cbm	26,680 Kgs
39'6"	7'9"	7'8"	37'9"	7'4"	2,348 Cft	58,819 Lbs



20’ REEFER

Internal Dimensions			Door		Cubic Capacity	Maximum Payload
L	W	H	W	H		
5,450 mm	2,290 mm	2,160 mm	2,290 mm	2,260 mm	28.30 Cbm	27,540 Kgs
17'10"	7'6"	7'1"	7'6"	7'5"	999 Cft	60,720 Lbs

NOTE: Inside height is to maxi stowage height.




40’ HIGH CUBE REEFER

Internal Dimensions			Door		Cubic Capacity	Maximum Payload
L	W	H	W	H		
11,590 mm	2,290 mm	2,400 mm	2,290 mm	2,570 mm	67.9 Cbm	30,260 Kgs
38'	7'6"	7'10"	7'6"	8'5"	2,397 Cft	66,712 Lbs

NOTE: Inside height is to maxi stowage height.


THE GIVEN INFORMATION IS FOR REFERENCE ONLY.

THE GIVEN INFORMATION IS FOR REFERENCE ONLY.




LOWER DECK CONTAINER - IATA
TYPE 8 - IATA PREFIX: AK - ATA: LD-3

External Dimensions			Maximum Gross Weight	Volume	Tare	Aircraft Accepted For
L	W	H				
1,562 mm	1,534 mm	1,626 mm	1,588 Kgs	4.53 Cbm	70 Kgs	DC 10-30 Freighter, DC10, 747, 777, 767
61.5 in	60.4 in	64 in	3,500 Lbs	160 Cft	154 Lbs	




LOWER DECK CONTAINER - IATA
TYPE 6 - IATA PREFIX: ALF - ATA: LD-6

External Dimensions			Maximum Gross Weight	Volume	Tare	Aircraft Accepted For
L	W	H				
3,175mm	1,534mm	1,626mm	3,175 Kgs	6.94 Cbm	180 Kgs	747, 747F, L1011
125 in	60.4 in	64 in	7,000 Lbs	245 Cft	397 Lbs	




MAIN DECK CONTAINER - IATA
TYPE 2/2Q - IATA PREFIX: AMA

External Dimensions			Maximum Gross Weight	Volume	Tare	Aircraft Accepted For
L	W	H				
3,175 mm	2,438 mm	2,438 mm	6,804 Kgs	17.16 Cbm	260 Kgs	747F
125 in	96 in	96 in	15,000 Lbs	606 Cft	572 Lbs	




PALLET WITH NET - IATA
TYPE 2WA - IATA PREFIX: PM

External Dimensions			Maximum Gross Weight	Volume	Tare	Aircraft Accepted For
L	W	H				
3,175 mm	2,438 mm	1,626 mm	5,035 Kgs	15.8 Cbm	130 Kgs	DC10-30 Freighter, DC10-30, 747, 747F
125 in	96 in	64 in	11,100 Lbs	557 Cft	287 Lbs	




UPPER DECK CONTAINER - IATA TYPE
5 - IATA PREFIX: AAK - ATA: LD-7

External Dimensions			Maximum Gross Weight	Volume	Tare	Aircraft Accepted For
L	W	H				
3,175 mm	2,235 mm	1,626 mm	6,033 Kgs	9.91 Cbm	200 Kgs	N/A
125 in	88 in	64 in	13,300 Lbs	350 Cft	440 Lbs	




CONTAINER - IATA TYPE 5 - IATA
PREFIX: AAP - ATA: LD-9

External Dimensions			Maximum Gross Weight	Volume	Tare	Aircraft Accepted For
L	W	H				
3,175 mm	2,235 mm	1,626 mm	6,033 Kgs	9.91 Cbm	200 Kgs	747, 747F, L1011
125 in	88 in	64 in	13,300 Lbs	350 Cft	440 Lbs	



MAIN DECK PALLET WITH NET - IATA
TYPE 2/2Q - IATA PREFIX: PM

External Dimensions			Maximum Gross Weight	Volume	Tare	Aircraft Accepted For
L	W	H				
3,175 mm	2,438 mm	2,438 mm	6,804 Kgs	17.16 Cbm	130 Kgs	DC10-30 Freighter, 747F
125 in	96 in	96 in	15,000 Lbs	606 Cft	287 Lbs	



MAIN DECK PALLET WITH NET - IATA
TYPE 2H - IATA PREFIX: PM

External Dimensions			Maximum Gross Weight	Volume	Tare	Aircraft Accepted For
L	W	H				
3,175 mm	2,438 mm	2,997 mm	6,804 Kgs	21.16 Cbm	130 Kgs	DC10-30 Freighter, 747F
125 in	96 in	118 in	15,000 Lbs	747 Cft	287 Lbs	

THE GIVEN INFORMATION IS FOR REFERENCE ONLY.

THE GIVEN INFORMATION IS FOR REFERENCE ONLY.

Contact Us

HONG KONG

UNIONPOWER Shipping (Far East) Ltd.
info@unionpower.com

NINGBO - CHINA

UNIONPOWER Logistics (China) Ltd.
ningbo@unionpower.com

SHENZHEN - CHINA

UNIONPOWER Logistics (China) Ltd.
shenzhen@unionpower.com

TIANJIN - CHINA

UNIONPOWER Logistics (China) Ltd.
tianjin@unionpower.com

SHANGHAI - CHINA

UNIONPOWER Logistics (China) Ltd.
shanghai@unionpower.com

XIAMEN - CHINA

UNIONPOWER Logistics (China) Ltd.
xiamen@unionpower.com

DALIAN - CHINA

UNIONPOWER Shipping (China) Ltd.
dalian@unionpower.com

QINGDAO - CHINA

UNIONPOWER Logistics (China) Ltd.
qingdao@unionpower.com

NEW DELHI - INDIA

UNIONPOWER Logistics (India) Private Ltd.
india@unionpower.com

CHENNAI - INDIA

UNIONPOWER Logistics (India) Private Ltd.
chennai@unionpower.com

HYDERABAD - INDIA

UNIONPOWER Logistics (India) Private Ltd.
hyderabad@unionpower.com

KUALA LUMPUR - MALAYSIA

UNIONPOWER Logistics (M) Sdn Bhd
kuala_lumpur@unionpower.com

MUMBAI - INDIA

UNIONPOWER Logistics (India) Private Ltd.
mumbai@unionpower.com

KOLKATA - INDIA

UNIONPOWER Logistics (India) Private Ltd.
kolkata@unionpower.com

BANGALORE - INDIA

UNIONPOWER Logistics (India) Private Ltd.
bangalore@unionpower.com

BANGKOK - THAILAND

UNIONPOWER Logistics (Thailand) Ltd.
bangkok@unionpower.com

www.unionpower.com



裕銘
UNIONPOWER

